






TERMBH0400*
TERMBH0401*




(EN)

- The electrical connection is to be made by trained electrical specialists only.
- The product can be used indoors & outdoors.
- The interior & exterior compatibility of the product is like in the pictures below.
- The product should be installed where the vibration and heat are minimal.

INDOOR



OUTDOOR



TERMBH04 Model		
P/N	Power Supply	Current (mA) Max.
TERMBH0400***	24V/DC	150mA
TERMBH0401***	40-250V AC/DC	37mA

R G Y B W

*** Indicates Light colors.
R-Red / G-Green / Y-Yellow / B-Blue / W-White

Light Pattern		
P/N	Light Pattern	Melody
TERMBH0400**	Flashing	1
TERMBH0401***		

Sound Intensity		
Melody	Sound Intensity (dB max) (10cm)	Sound Intensity (dB max) (100cm)
M1	128	103

*** Values may vary by +/- 5%.

Weight		
P/N	Weight	Color
TERMBH0400***	180-190gr	Red Green Blue Yellow White
TERMBH0401***	190-200gr	






*It is recommended that people with epilepsy should not use it.



T.E.R. Tecno Elettrica Ravasi Srl a socio unico
Via Garibaldi 29/31 - 23885 Calco (LC) - Italy
Tel. +39 039 9911011 - Fax +39 039 9910445
E-mail: info@ter.it - www.ter.it
Sede Legale - Registered Office
Via San Vigilio 2 - 23887 Olgiate Molgora (LC) - Italy

1


TECHNICAL DIAGRAM



2

WIRING DIAGRAM

24V/DC



2

WIRING DIAGRAM

40-250V AC/DC



3



ATTENTION




EN

- For models 40-250V AC/DC, do not open the lens cover and avoid touching the product board while the device is powered.

4

SPARE PARTS



TERMSP0103R (RED)
 TERMSP0103G (GREEN)
 TERMSP0103Y (YELLOW)
 TERMSP0103B (BLUE)
 TERMSP0103W (WHITE)